

Page:

Compilation date: 24/06/2016

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: RUNNEAT 22 Product code: RNNEAT22

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: MILO TOOLS LTD

**UNIT 3 SCANDINAVIA COURT** 

CHAIN BAR ROAD
CLECKHEATON
WEST YORKSHIRE
BD19 3QW
United Kingdom

Tel: **01274 872822** Fax: **0113 8800 541** 

Email: sales@milotools.co.uk

1.4. Emergency telephone number

Emergency tel: 01274 872822 (office hours only)

### Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements: This product has no label elements.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

### MINERAL OIL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	64742-65-0	Substance with a Community	-	70-90%
		workplace exposure limit.		

MTO Lubricants (Part of Milo Tools Ltd)

Tel: 01274 872822 Fax: 0113 8800541











#### Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Check for and remove any

contact lenses. Continue to rinse for at least 10 minutes. Get medical attention

if irritation occurs.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

### Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

Use water spray (fog), foam, dry chemical or CO2. Do not use water

iet.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear protective clothing to prevent contact with skin and eyes. Wear

self-contained breathing apparatus. (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European Standard EN 469 will provide a basic level of protection for chemical incidents. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

### Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking

containers leak side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil,

waterways and sewers. Alert the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air)

Collect spillage.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

MTO Lubricants (Part of Milo Tools Ltd)

Tel: 01274 872822 Fax: 0113 8800541











Page 3

### Section 7: Handling and storage

7.1. Precautions for safe handling

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

### **Section 8:** Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

Workplace exposure limits: Respirable dust:

STATE	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	5 mg/m3			

DNEL / PNEC: No data available

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

### Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid Colour: Pale Yellow

Odour: Characteristic odour

Kinematic viscosity: 17.0-25.0

Viscosity test method: Kinematic viscosity in 10-6 m2/s at 40°C (ISO 3219)

Relative density: 0.895-0.950

9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage

conditions. Decomposition may occur on exposure to conditions or

materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents, Strong Acids.

10.6. Hazardous decomposition products

MTO Lubricants (Part of Milo Tools Ltd)

Tel: 01274 872822 Fax: 0113 8800541











Page 4

### Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

#### MINERAL OIL

DERMAL	RBT	LD50	>5000	Mg/kg
ORAL	RAT	LD50	>5000	Mg/kg
VAPOURS	RAT	4H LC50	>5000	Mg/m3

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.
Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

#### Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6 Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### **Section 14:** Transport information

Transport class: This product does not require a classification for transport.

### **Section 15:** Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Specific regulations:

Not applicable.

15.2. Chemical Safety Assessment

MTO Lubricants (Part of Milo Tools Ltd)

Tel: 01274 872822 Fax: 0113 8800541











Page 5

## Section 16: Other information

#### Other information:

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. \* indicates text in the SDS which has changed since the last revision.

### Legal disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

MTO Lubricants (Part of Milo Tools Ltd)

Tel: 01274 872822 Fax: 0113 8800541

Fax: 0113 8800541 Email: sales@milotools.co.uk









