

SAFETY DATA SHEET



Page: 1
Compilation date: 17/03/2016
Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: **RUNSMOOTH HYDRAULIC 32**

Product code: **RSHY0032**

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: **MILO TOOLS LTD**

UNIT 3 SCANDINAVIA COURT

CHAIN BAR ROAD

CLECKHEATON

WEST YORKSHIRE

BD19 3QW

United Kingdom

Tel: 01274 872822

Fax: 0113 8800 541

Email: **sales@milotools.co.uk**

1.4. Emergency telephone number

Emergency tel: 01274 872822

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements: This product has no label elements.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

MINERAL OIL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	64742-65-0	Substance with a Community workplace exposure limit.	-	>90%

ALKYL PHENOL

-	-	-	Skin Irrit. 2: H315; Aquatic Chronic 1: H410	<1%
---	---	---	--	-----

[cont..]

MTO Lubricants (Part of Milo Tools Ltd)

Tel: 01274 872822

Fax: 0113 8800541

Email: sales@milotools.co.uk

Registered In England 08809951 VAT Registration No. GB 184 4633 89

SAFETY DATA SHEET

Page: 2

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray (fog), foam, dry chemical or CO₂. Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus. (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European Standard EN 469 will provide a basic level of protection for chemical incidents. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leakside up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways and sewers. Alert the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air) Collect spillage.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

[cont..]

MTO Lubricants (Part of Milo Tools Ltd)

Tel: 01274 872822

Fax: 0113 8800541

Email: sales@milotools.co.uk

Registered In England 08809951 VAT Registration No. GB 184 4633 89

SAFETY DATA SHEET

Section 7: Handling and storage

- 7.1. Precautions for safe handling
7.2. Conditions for safe storage, including any incompatibilities
Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.
7.3. Specific end use(s)
Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

MINERAL OIL

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	5 mg/m ³	-	-	-

DNEL/PNEC Values:

DNEL / PNEC: No data available.

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale Straw

Odour: Characteristic odour

Kinematic viscosity: 28.8-35.2

Viscosity test method: Kinematic Viscosity @ 40 degrees Celsius

Flash point°C: >150

Relative density: 0.865-0.885

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Direct sunlight. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

[cont..]

MTO Lubricants (Part of Milo Tools Ltd)

Tel: 01274 872822

Fax: 0113 8800541

Email: sales@milotools.co.uk

Registered In England 08809951 VAT Registration No. GB 184 4633 89

SAFETY DATA SHEET

Page: 4

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

MINERAL OIL

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	4H LC50	>5000	mg/m3

ALKYL PHENOL

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RBT	LD50	8697	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

[cont..]

MTO Lubricants (Part of Milo Tools Ltd)

Tel: 01274 872822

Fax: 0113 8800541

Email: sales@milotools.co.uk

Registered In England 08809951 VAT Registration No. GB 184 4633 89

SAFETY DATA SHEET

Page: 5

Section 16: Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H315: Causes skin irritation.

H410: Very toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]



MTO Lubricants (Part of Milo Tools Ltd)

Tel: 01274 872822

Fax: 0113 8800541

Email: sales@milotools.co.uk

Registered In England 08809951 VAT Registration No. GB 184 4633 89